

## CONTENTS

(Abstracts/contents lists published in: *Chem. Abstr.*; *Curr. Contents*, *Phys. Chem. Earth Sci.*, *Life Sci.*)

*Special Issue: A Collection of Invited Papers Dealing with Cyclodextrins.*

Preface. by J. FRASER STODDART . . . . .	xii
Optical resolution of ferrocene derivatives by liquid chromatography using aqueous cyclomaltohexaose as the mobile phase and polyamide as the stationary phase A. HARADA, K. SAEKI, AND S. TAKAHASHI (Osaka, Japan) . . . . .	1
The inclusion of the enantiomers of <i>N</i> -trifluoroacetyl-4-fluorophenylalanine and <i>N</i> -trifluoroacetylphenylalanine by cyclomaltohexaose: A <sup>2</sup> H- and <sup>19</sup> F-n.m.r. study N. J. SMITH, T. M. SPOTSWOOD, AND S. F. LINCOLN (Adelaide, S.A., Australia) . . . . .	9
Exploration of cyclomalto-oligosaccharide (cyclodextrin) chemistry with molecular mechanics: docking calculations on the complexation of ferrocenes with cyclodextrins M. J. SHERROD (Atlanta, GA, U.S.A.) . . . . .	17
Crystal structure of the inclusion complex of hexakis-(2,6-di- <i>O</i> -methyl)cyclomaltohexaose with 3-iodopropionic acid K. HARATA (Tsukuba, Japan) . . . . .	33
A side chain of diastereomeric iloprost protrudes from the cage in the complex with cyclomaltoheptaose (β-cyclodextrin): crystal structure of (β-cyclodextrin) <sub>2</sub> ·iloprost·20.5 H <sub>2</sub> O T. STEINER, W. HINRICHS, W. SAENGER, AND G.-A. HOYER (Berlin, F.R.G.) . . . . .	43
Enantioselective gas chromatography with modified cyclomalto-oligosaccharides as chiral stationary phases W. A. KÖNIG (Hamburg, F.R.G.) . . . . .	51
Molecular dynamics of derivatives, of cyclomalto-oligosaccharides and their complexes with azo dyes M. SUZUKI (Osaka, Japan), J. SZEJTLI, AND L. SZENTE (Budapest, Hungary) . . . . .	61
Molecular motion in solid <i>p</i> -nitrophenol inclusion compounds of cyclomalto-hexaose and -heptaose: n.m.r. and dielectric studies J. A. RIPMEESTER, C. I. RATCLIFFE, AND I. G. CAMERON (Ottawa, Ont., Canada) . . . . .	69
Formation of a cycloinulo-oligosaccharide from inulin by an extracellular enzyme of <i>Bacillus circulans</i> OKUMZ 31B M. KAWAMURA, T. UCHIYAMA (Osaka, Japan), T. KURAMOTO, Y. TAMURA, AND K. MIZUTANI (Onomichi, Japan) . . . . .	83
Host-guest complexation of 6-deoxy-6-(1-pyridinio) derivatives of α-cyclodextrin (cyclomaltohexaose) with inorganic anions in aqueous solution Y. MATSUI, M. FUJIE, AND H. SAKATE (Matsue, Japan) . . . . .	91
Regioselective cleavage of di- and poly-ribonucleotides induced by cyclodextrins (cyclomalto-oligosaccharides) M. KOMIYAMA (Tsukuba, Japan) . . . . .	97

(Continued overleaf)

Complex formation of cyclomalto-octaose with tetrabromophenolphthalein and some related compounds L. BARCZA AND Á. BUVÁRI-BARCZA (Budapest, Hungary)	103
The synthesis of an active derivative of cyclomaltoheptaose for the hydrolysis of esters and the formation of amide bonds B. EKBERG, L. J. ANDERSSON, AND K. MOSBACH (Lund, Sweden)	111
Complexes of cyclomaltoheptaose with aromatic diazo compounds: formation and reactions C. J. ABELT, J. S. LOKEY, AND S. H. SMITH (Williamsburg, VA, U.S.A.)	119
A highly stereoselective and practical synthesis of cyclomannohexaose, Cyclo( $\rightarrow 4$ )- $\{\alpha$ -D-Manp-(1 $\rightarrow$ 4)- $\}_3$ - $\alpha$ -D-Manp-(1 $\rightarrow$ ), a <i>manno</i> isomer of cyclomaltohexaose M. MORI, Y. ITO, AND T. OGAWA (Wako, Japan)	131
Complexation of aromatic carboxylic acids with heptakis(2,6-di- <i>O</i> -methyl)cyclomaltoheptaose in chloroform and water N. KOBAYASHI AND T. OSA (Sendai, Japan)	147
Isolation and characterization of heptakis(2,6-di- <i>O</i> -methyl)cyclomaltoheptaose and over-methylated homologues Y. KUBOTA, T. TANIMOTO, S. HORIYAMA, AND K. KOIZUMI (Nishinomiya, Japan)	159
Alkylation of cyclomalto-oligosaccharides (cyclodextrins) with dialkyl sulfate-barium hydroxide: heterogeneity of products and the marked effect of the size of the macrocycle T. IRIE, K. FUKUNAGA, J. PITHA (Baltimore, MD, U.S.A.), K. UEKAMA (Kumamoto, Japan), H. M. FALES, AND E. A. SOKOLOWSKI (Bethesda, MD, U.S.A.)	167
Exciton coupling, intramolecular self-complexation, and host-guest complex formation of 6 <sup>A</sup> ,6 <sup>X</sup> -bis(anthracene-9-carbonyl) derivatives of cyclomalto-octaose A. UENO, F. MORIWAKI, A. AZUMA, AND T. OSA (Sendai, Japan)	173
The binding of transition states by cyclomalto-oligosaccharides O. S. TEE (Montreal, Canada)	181
A physico-chemical aspect of cyanine dye-cyclomalto-oligosaccharide systems: enhanced dimerization of the dye and shortening of the lifetime of the photoisomer K. KASATANI, M. OHASHI, AND H. SATO (Tsu, Japan)	197
2-Hydroxy-3-trimethylammoniopropyl derivatives of cyclomaltoheptaose as phase-transfer catalysts A. DERATANI, G. LELIÈVRE, T. MARALDO, AND B. SÉBILLE (Thiais, France)	215
Production and some properties of branched cyclomalto-oligosaccharides S. KOBAYASHI, K. NAKASHIMA, AND M. ARAHIRA (Tsukuba, Japan)	223
Determination of the patterns of substitution of hydroxyethyl- and hydroxypropyl-cyclomaltoheptaoses P. MISCHNICK (Hamburg, F.R.G.)	233
Comparative studies of the ability of cyclomalto-hexaose, -heptaose, and -octaose to form inclusion complexes with isomers of some hydrocarbons under the conditions of gas-liquid chromatography D. SYBILSKA AND J. JURCZAK (Warsaw, Poland)	243

## (contents continued)

Branched thiocyclomalto-oligosaccharides: synthesis and properties of 6-S- $\alpha$ - and 6-S- $\beta$ -D-glucopyranosyl-6-thiocyclomaltoheptaose J. DEFAYE, A. GADELLE, A. GUILLER (Grenoble, France), R. DARCY, AND T. O'SULLIVAN (Dublin, Ireland) . . . . .	251
Second-sphere co-ordination of carboplatin and rhodium complexes by cyclodextrins (cyclomalto-oligosaccharides) D. R. ALSTON, P. R. ASHTON, T. H. LILLEY, J. FRASER STODDART, R. ZARZYCKI (Sheffield, Gt. Britain), A. M. Z. SLAWIN, AND D. J. WILLIAMS (London, Gt. Britain) . . . . .	259
Complexation of aromatic compounds with, and their release from, cyclomaltoheptaose-containing polymers, hydroxyethylcyclomaltoheptaose, and cyclomaltoheptaose R. B. FRIEDMAN, A. R. HEDGES, F. L. BLACK, AND D. J. GOTTNEID (Hammond, IN, U.S.A.) . . . . .	283
Inclusion reactions of some phthalein and sulphophthalein compounds with cyclomalto-hexaose and -heptaose N. YOSHIDA, T. SHIRAI, AND M. FUJIMOTO (Sapporo, Japan) . . . . .	291
The formation of pyrene:cyclomalto-oligosaccharide complexes in the presence of non-ionic surfactants G. NELSON AND I. M. WARNER (Atlanta, GA, U.S.A.) . . . . .	305
Inclusion of spiranolactone in cyclomaltoheptaose: a guest affected by the hospitality of the host D. WOUËSSIDJEWÉ, A. CRASSOUS, D. DUCHÈNE, A. COLEMAN, N. RYSANEK, G. TSOUCARIS (Châtenay Malabry, France), B. PERLY, AND F. DJEDAINI (Gif sur Yvette, France) . . . . .	313
O-Carboxymethyl-O-ethylcyclomaltoheptaose as a delayed-release-type drug carrier: improvement of the oral bioavailability of diltiazem in the dog K. UEKAMA, Y. HORIUCHI, T. IRIE, AND F. HIRAYAMA (Kumamoto, Japan) . . . . .	323
Inclusion compounds in water: thermodynamics of the interaction of cyclomaltohexaose with amino acids at 25° G. BARONE, G. CASTRINUOVO, V. DI RUOCO, V. ELIA, AND C. GIANCOLA (Naples, Italy) . . . . .	331
<i>Notes</i>	
Cesium-133 nuclear magnetic resonance study of cyclogentiotetraose peracetate-cesium picrate complexation in non-aqueous solvents G. BONAS AND M. R. VIGNON (Grenoble, France) . . . . .	343
Direct synthesis of a sandwich-type molecule involving porphyrin and two molecules of cyclomaltoheptaose Y. KURODA, T. HIROSHIGE, T. SERA, AND H. OGOSHI (Kyoto, Japan) . . . . .	347
Interaction of nitroglycerin with 6-O- $\alpha$ -maltosylcyclomaltoheptaose K. TOMONO, H. GOTOH, M. OKAMURA, T. SAITOH, H. UEDA, AND T. NAGAI (Tokyo, Japan) . . . . .	351
Complexation of single- and double-chain surfactants by cyclomalto-oligosaccharides R. ISNIN, H. R. YOON, R. VARGAS, P. A. QUINTELA, AND A. E. KAIFER (Coral Gables, FL, U.S.A.) . . . . .	357

Enantioselective reduction of ketones in inclusion complexes with cyclomaltoheptaose in the solid state: acceleration of the reaction by ultrasound F. TODA AND T. SHIGEMASA (Matsuyama, Japan) . . . . .	363
Synthesis of heptakis(6- <i>O</i> - <i>tert</i> -butyldimethylsilyl)cyclomaltoheptaose and octakis(6- <i>O</i> - <i>tert</i> -butyldimethylsilyl)cyclomalto-octaose P. FÜGEDI (Debrecen, Hungary) . . . . .	366
<i>Preliminary communication</i>	
Synthesis of a trisaccharide of the inner core region of <i>Citrobacter</i> PCM 187 lipopolysaccharide that contains L-glycero- $\alpha$ -D-manno-heptopyranosyl units G. J. P. H. BOONS, M. OVERHAND, G. A. VAN DER MAREL, AND J. H. VAN BOOM (Leiden, The Netherlands) . . . . .	c1
<i>Announcement</i> . . . . .	c5
<i>Author index</i> . . . . .	c7
<i>Subject index</i> . . . . .	c9

